Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
5	716	"equivalent refractive index"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	g	HO	2005/07/26 13:37
2	27	"equivalent refractive index" with cladding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NO.	OFF	2005/07/26 13:37
SI		("6724968").PN.	USPAT	ಜ	PFC	2005/07/25 19:40
25	П	S1 and (index or indices)	USPAT	S.	OFF	2005/07/25 17:15
S3	-	("5432873");PN.	USPAT	క	OFF	2005/07/25 17:15
S4		S3 and (index or indices)	USPAT	æ	OFF	2005/07/25 17:20
22	-1	("6785449");PN.	USPAT	ಜ	OFF.	2005/07/25 17:20
Se	П	S5 and (index or indices)	USPAT	S,	OFF	2005/07/25 17:22
22	0	S5 and (different near2 (index or indices))	USPAT	క	OFF	2005/07/25 17:21
88	+4	("5123078").PN.	USPAT	g K	OFF	2005/07/25 17:21
83	0	S8 and (different near2 (index or indices))	USPAT	OR B	OFF	2005/07/25 17:21
S10	2101	((385/28) or (385/42) or (385/43) or (385/48)).CCLS.	US-PGPUB; USPAT; USOCR	SO.	OFF	2005/07/25 17:23
S11	842	(385/50):CCLS.	US-PGPUB; USPAT; USOCR	S,	OFF	2005/07/25 17:23
S12	206	(S10 or S11) and (single-mode or singlemode or (single adj mode)) and (mutli-mode or multimode or (multiple adj modes))	US-PGPUB; USPAT; USOCR	SO.	OFF	2005/07/25 17:24

S13	10	S12 and ((second near2 (waveguide or waveguides or guide or guides)) with (index near2 different))	US-PGPUB; USPAT; USOCR	8	OFF	2005/07/25 17:25
S14	128	"385"/\$:ccls. and (vertical near2 (coupler or couplers))	US-PGPUB; USPAT; USOCR	g	OFF	2005/07/25 17:28
S15		("6115515" "6282335").PN. OR ("6785449").URPN.	US-PGPUB; USPAT; USOCR	g S	OFF	2005/07/25 18:37
S16	17	("3809696" "3809732" "3953620" "3993485" "4712854" "5009483" "5121462" "5159699" "5402514" "5544268" "5874187" "5932397" "6035083").PN. OR ("6724968").URPN.	US-PGPUB; USPAT; USOCR	R	OFF	2005/07/25 18:38
S17	18	("3995311" "5159699" "5222162" "5367584" "5394239" "5465310" "5481633").PN. OR ("5854866").URPN.	US-PGPUB; USPAT; USOCR	Ř	OFF	2005/07/25 18:42
S18	H	("2004/0126072");URPN.	USPAT	OR R	OFF	2005/07/25 18:45
S19	2	((multi-mode or multimode or (multiple adj modes)) near2 (coupler or couplers or coupling or coupled or couples)) and (isolator or isolators).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	g	OFF	2005/07/25 18:46
S20	m	((multi-mode or multimode or (multiple adj modes)) near2 (coupler or couplers or coupling or coupled or couples or region or regions or section or sections)) and (isolator or isolators).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	Ř	OFF	2005/07/25 18:47
S21	12	((multi-mode or multimode or (multiple adj modes)) near2 (coupler or couplers or coupling or coupled or couples or region or regions or section or sections) and (isolator or isolators).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	R	OFF	2005/07/25 18:47

 534	((second or other or another or top) near2 (waveguide or waveguides or waveguiding or (light adj guide) or (light adj guides) or light-guide or light-guides or (light adj guiding) or lightguide or lightguides or lightguiding)) with ((different or second) near2 (index or indices))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	<u>8</u>	OFF.	2005/07/25 18:49
 137	S22 and (multi-mode or multi-modes or (multiple adj mode) or (multiple adj modes) or multimodes or mmi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	S.	- HO	2005/07/25 18:49
7	("2004/0114872").URPN.	USPAT	OR	OFF	2005/07/25 18:50
10	("4679894" "5465310" "5581642" "5857039" "5970186" "6122416" "6144780" "6282335" "6311004").PN.: OR ("6535672").URPN.	US-PGPUB; USPAT; USOCR	č	OFF	2005/07/25 18:54
7	("4753505" "4859059" "5251274" "5369718" "5465310" "5966493"). PN. OR ("6144780").URPN.	US-PGPUB; USPAT; USOCR	S S	OFF	2005/07/25 18:55
13	("4026632" "4400053" "4431263" "4439514" "4483583" "4536450" "4581315" "4615962" "4759596" "4950044" "5071997").PN. OR ("5845025").URPN.	US-PGPUB; USPAT; USOCR	ő	OFF	2005/07/25 18:57
43	("3589794" "3850503" "3896402" "3909108" "3957341" "4012113" "4026632").PN. OR ("4146297").URPN.	US-PGPUB; USPAT; USOCR	Ř	OFF	2005/07/25 19:00
18	("3995311" "5159699" "5222162" "5367584" "5394239" "5465310" "5481633").PN.: OR ("5854866").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/25 19:02
9	(("6535672") or ("6144780") or ("6122416") or ("5854866") or ("5845025") or ("4146297")).PN.	USPAT	æ	OFF	2005/07/25 19:40
9	("4679894" "5465310" "5581642" "5857039" "5970186" "6122416" "6144780" "6282335" "6311004").PNOR ("6535672").URPN.	US-PGPUB; USPAT; USOCR	OR M	OFF	2005/07/25 19:40
7	("4753505" "4859059" "5251274" "5369718" "5465310" "5966493"). PN. OR ("6144780").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/25 19:41

2005/07/25 19:43	2005/07/25.19:45	2005/07/26 13:33	2005/07/25 19:46 2005/07/25 19:47	2005/07/25 19:50
OFF.	F 0	P-O	OFF	9 <u>F</u>
8	É	ಕ	8 8 8	g
US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	USPAT USPAT	US-PGPUB; USPAT; USOCR
("4026632" "4400053" "4431263" "4439514" "4483583" "4536450" "4581315" "4615962" "4759596" "4950044" "5071997").PN. OR ("5845025").URPN.	(single-mode or (single adj mode)) near2 (waveguide or waveguides or waveguides or waveguiding or (wave adj guides) or wave-guide or wave-guides or wave-guiding or (wave adj guides) or (wave adj guiding) or lightguide or lightguides or lightguides or lightguides or light-guide or light-guides or light-guides or light-guides) or (light adj guides) or (light adj guides) or (light adj guides) or (coupler or couplers or coupling))	S34 and (isolator or isolators or isolate or isolates or isolating or isolation or filter or filters or filtering or filtered or circulator or circulators)	0 ("2005/0111777");URPN. 0 ("2004/0252934").URPN.	4 ("20040252957" "4693547" "5694498" "6222951").PN. OR ("6904187").URPN.
13	239	162	0 0	4
S33	34	535	S36 S37	338